

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	1	5
		% within Sex	.4%	.3%	.4%
	2-4	Count	1	1	2
		% within Sex	.1%	.3%	.1%
	5-12	Count	1	6	7
		% within Sex	.1%	1.7%	.5%
	13-19	Count	33	16	49
		% within Sex	3.1%	4.6%	3.5%
	20-24	Count	117	45	162
		% within Sex	10.9%	12.9%	11.4%
	25-29	Count	162	57	219
		% within Sex	15.1%	16.4%	15.4%
	30-34	Count	189	66	255
		% within Sex	17.6%	19.0%	18.0%
	35-39	Count	221	68	289
		% within Sex	20.6%	19.5%	20.4%
	40-44	Count	165	32	197
		% within Sex	15.4%	9.2%	13.9%
	45-49	Count	87	31	118
		% within Sex	8.1%	8.9%	8.3%
	50-54	Count	48	16	64
		% within Sex	4.5%	4.6%	4.5%
	55-59	Count	22	8	30
		% within Sex	2.1%	2.3%	2.1%
	60-64	Count	13	0	13
		% within Sex	1.2%	.0%	.9%
	65-69	Count	4	1	5
		% within Sex	.4%	.3%	.4%
	70+	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Unknown	Count	2	0	2
		% within Sex	.2%	.0%	.1%
Total		Count	1071	348	1419
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	506	73	579
		% within Sex	47.2%	21.0%	40.8%
	African American	Count	344	222	566
		% within Sex	32.1%	63.8%	39.9%
	Hispanic	Count	193	45	238
		% within Sex	18.0%	12.9%	16.8%
	Asian-Pacific Islander	Count	15	5	20
		% within Sex	1.4%	1.4%	1.4%
	Am Indian-Alaskan	Count	3	1	4
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	10	2	12
		% within Sex	.9%	.6%	.8%
	Total	Count	1071	348	1419
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	634	0	634
		% within Sex	59.2%	.0%	44.7%
	IDU	Count	56	38	94
		% within Sex	5.2%	10.9%	6.6%
	M-M & IDU	Count	24	0	24
		% within Sex	2.2%	.0%	1.7%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	35	98	133
		% within Sex	3.3%	28.2%	9.4%
	Transfusion	Count	3	2	5
		% within Sex	.3%	.6%	.4%
	Not Classified	Count	312	202	514
		% within Sex	29.1%	58.0%	36.2%
	Ped Parent at Risk	Count	6	5	11
		% within Sex	.6%	1.4%	.8%
	Ped Other-Undet	Count	0	3	3
		% within Sex	.0%	.9%	.2%
	Total	Count	1071	348	1419
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	577	1	579
		% within Adult-Ped	7.1%	41.1%	50.0%	40.8%
	African American	Count	9	556	1	566
		% within Adult-Ped	64.3%	39.6%	50.0%	39.9%
	Hispanic	Count	4	234	0	238
		% within Adult-Ped	28.6%	16.7%	.0%	16.8%
	Asian-Pacific Islander	Count	0	20	0	20
		% within Adult-Ped	.0%	1.4%	.0%	1.4%
	Am Indian-Alaskan	Count	0	4	0	4
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	12	0	12
		% within Adult-Ped	.0%	.9%	.0%	.8%
	Total	Count	14	1403	2	1419
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	.2%	.3%	.2%
	5-12	Count	3	2	5
		% within Sex	.2%	.6%	.3%
	13-19	Count	23	20	43
		% within Sex	1.8%	5.6%	2.7%
	20-24	Count	103	47	150
		% within Sex	8.2%	13.2%	9.3%
	25-29	Count	142	59	201
		% within Sex	11.3%	16.6%	12.4%
	30-34	Count	226	54	280
		% within Sex	17.9%	15.2%	17.3%
	35-39	Count	282	72	354
		% within Sex	22.4%	20.3%	21.9%
	40-44	Count	233	59	292
		% within Sex	18.5%	16.6%	18.1%
	45-49	Count	125	17	142
		% within Sex	9.9%	4.8%	8.8%
	50-54	Count	65	12	77
		% within Sex	5.2%	3.4%	4.8%
	55-59	Count	39	2	41
		% within Sex	3.1%	.6%	2.5%
	60-64	Count	9	6	15
		% within Sex	.7%	1.7%	.9%
	65-69	Count	2	1	3
		% within Sex	.2%	.3%	.2%
	70+	Count	2	1	3
		% within Sex	.2%	.3%	.2%
	Unknown	Count	3	2	5
		% within Sex	.2%	.6%	.3%
Total		Count	1260	355	1615
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	666	105	771
		% within Sex	52.9%	29.6%	47.7%
	African American	Count	384	209	593
		% within Sex	30.5%	58.9%	36.7%
	Hispanic	Count	184	37	221
		% within Sex	14.6%	10.4%	13.7%
	Asian-Pacific Islander	Count	10	1	11
		% within Sex	.8%	.3%	.7%
	Am Indian-Alaskan	Count	2	1	3
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	14	2	16
		% within Sex	1.1%	.6%	1.0%
	Total	Count	1260	355	1615
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	859	0	859
		% within Sex	68.2%	.0%	53.2%
	IDU	Count	72	56	128
		% within Sex	5.7%	15.8%	7.9%
	M-M & IDU	Count	47	0	47
		% within Sex	3.7%	.0%	2.9%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	33	169	202
		% within Sex	2.6%	47.6%	12.5%
	Transfusion	Count	2	3	5
		% within Sex	.2%	.8%	.3%
	Not Classified	Count	240	124	364
		% within Sex	19.0%	34.9%	22.5%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	4	3	7
		% within Sex	.3%	.8%	.4%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Total	Count	1260	355	1615
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	2	768	1	771
		% within Adult-Ped	22.2%	48.0%	20.0%	47.7%
	African American	Count	7	583	3	593
		% within Adult-Ped	77.8%	36.4%	60.0%	36.7%
	Hispanic	Count	0	220	1	221
		% within Adult-Ped	.0%	13.7%	20.0%	13.7%
	Asian-Pacific Islander	Count	0	11	0	11
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	3	0	3
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	16	0	16
		% within Adult-Ped	.0%	1.0%	.0%	1.0%
	Total	Count	9	1601	5	1615
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	28	22	50
		% within Sex	.6%	1.5%	.8%
	1 (12-23 mo)	Count	1	7	8
		% within Sex	.0%	.5%	.1%
	2-4	Count	7	7	14
		% within Sex	.2%	.5%	.2%
	5-12	Count	15	11	26
		% within Sex	.3%	.8%	.4%
	13-19	Count	83	104	187
		% within Sex	1.8%	7.2%	3.1%
	20-24	Count	421	207	628
		% within Sex	9.0%	14.4%	10.3%
	25-29	Count	690	260	950
		% within Sex	14.8%	18.1%	15.6%
	30-34	Count	902	243	1145
		% within Sex	19.4%	16.9%	18.8%
	35-39	Count	1038	236	1274
		% within Sex	22.3%	16.4%	20.9%
	40-44	Count	714	161	875
		% within Sex	15.3%	11.2%	14.4%
	45-49	Count	388	82	470
		% within Sex	8.3%	5.7%	7.7%
	50-54	Count	190	58	248
		% within Sex	4.1%	4.0%	4.1%
	55-59	Count	101	21	122
		% within Sex	2.2%	1.5%	2.0%
	60-64	Count	49	10	59
		% within Sex	1.1%	.7%	1.0%
	65-69	Count	13	4	17
		% within Sex	.3%	.3%	.3%
	70+	Count	6	2	8
		% within Sex	.1%	.1%	.1%
	Unknown	Count	6	2	8
		% within Sex	.1%	.1%	.1%
Total		Count	4652	1437	6089
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	2362	361	2723
		% within Sex	50.8%	25.1%	44.7%
	African American	Count	1505	878	2383
		% within Sex	32.4%	61.1%	39.1%
	Hispanic	Count	692	180	872
		% within Sex	14.9%	12.5%	14.3%
	Asian-Pacific Islander	Count	46	7	53
		% within Sex	1.0%	.5%	.9%
	Am Indian-Alaskan	Count	14	5	19
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	33	6	39
		% within Sex	.7%	.4%	.6%
	Total	Count	4652	1437	6089
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2975	0	2975
		% within Sex	64.0%	.0%	48.9%
	IDU	Count	267	250	517
		% within Sex	5.7%	17.4%	8.5%
	M-M & IDU	Count	263	0	263
		% within Sex	5.7%	.0%	4.3%
	Hemophiliac	Count	5	0	5
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	140	445	585
		% within Sex	3.0%	31.0%	9.6%
	Transfusion	Count	9	9	18
		% within Sex	.2%	.6%	.3%
	Not Classified	Count	942	686	1628
		% within Sex	20.2%	47.7%	26.7%
	Ped Hemophiliac	Count	7	0	7
		% within Sex	.2%	.0%	.1%
	Ped Parent at Risk	Count	37	40	77
		% within Sex	.8%	2.8%	1.3%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	7	6	13
		% within Sex	.2%	.4%	.2%
	Total	Count	4652	1437	6089
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	25	2695	3	2723
		% within Adult-Ped	25.5%	45.0%	37.5%	44.7%
	African American	Count	56	2323	4	2383
		% within Adult-Ped	57.1%	38.8%	50.0%	39.1%
	Hispanic	Count	16	855	1	872
		% within Adult-Ped	16.3%	14.3%	12.5%	14.3%
	Asian-Pacific Islander	Count	1	52	0	53
		% within Adult-Ped	1.0%	.9%	.0%	.9%
	Am Indian-Alaskan	Count	0	19	0	19
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	39	0	39
		% within Adult-Ped	.0%	.7%	.0%	.6%
	Total	Count	98	5983	8	6089
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	27	22	49
		% within Sex	.6%	1.6%	.8%
	1 (12-23 mo)	Count	1	7	8
		% within Sex	.0%	.5%	.1%
	2-4	Count	7	6	13
		% within Sex	.2%	.4%	.2%
	5-12	Count	15	10	25
		% within Sex	.3%	.7%	.4%
	13-19	Count	83	104	187
		% within Sex	1.8%	7.3%	3.1%
	20-24	Count	418	205	623
		% within Sex	9.2%	14.4%	10.4%
	25-29	Count	685	258	943
		% within Sex	15.0%	18.2%	15.8%
	30-34	Count	893	241	1134
		% within Sex	19.6%	17.0%	19.0%
	35-39	Count	1014	231	1245
		% within Sex	22.2%	16.3%	20.8%
	40-44	Count	702	159	861
		% within Sex	15.4%	11.2%	14.4%
	45-49	Count	372	80	452
		% within Sex	8.2%	5.6%	7.6%
	50-54	Count	179	57	236
		% within Sex	3.9%	4.0%	3.9%
	55-59	Count	96	21	117
		% within Sex	2.1%	1.5%	2.0%
	60-64	Count	45	10	55
		% within Sex	1.0%	.7%	.9%
	65-69	Count	12	4	16
		% within Sex	.3%	.3%	.3%
	70+	Count	5	2	7
		% within Sex	.1%	.1%	.1%
	Unknown	Count	6	2	8
		% within Sex	.1%	.1%	.1%
Total		Count	4560	1419	5979
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	1 (12-23 mo)	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	2-4	Count	14	11	25
		% within Sex	.3%	.8%	.4%
	5-12	Count	20	22	42
		% within Sex	.4%	1.6%	.7%
	13-19	Count	31	41	72
		% within Sex	.7%	2.9%	1.2%
	20-24	Count	213	151	364
		% within Sex	4.7%	10.6%	6.1%
	25-29	Count	508	229	737
		% within Sex	11.1%	16.1%	12.3%
	30-34	Count	775	258	1033
		% within Sex	17.0%	18.2%	17.3%
	35-39	Count	1000	232	1232
		% within Sex	21.9%	16.3%	20.6%
	40-44	Count	926	219	1145
		% within Sex	20.3%	15.4%	19.2%
	45-49	Count	546	121	667
		% within Sex	12.0%	8.5%	11.2%
	50-54	Count	283	70	353
		% within Sex	6.2%	4.9%	5.9%
	55-59	Count	130	37	167
		% within Sex	2.9%	2.6%	2.8%
	60-64	Count	69	16	85
		% within Sex	1.5%	1.1%	1.4%
	65-69	Count	27	6	33
		% within Sex	.6%	.4%	.6%
	70+	Count	13	4	17
		% within Sex	.3%	.3%	.3%
	Unknown	Count	1	1	2
		% within Sex	.0%	.1%	.0%
Total		Count	4560	1419	5979
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	2317	356	2673
		% within Sex	50.8%	25.1%	44.7%
	African American	Count	1472	868	2340
		% within Sex	32.3%	61.2%	39.1%
	Hispanic	Count	681	178	859
		% within Sex	14.9%	12.5%	14.4%
	Asian-Pacific Islander	Count	46	6	52
		% within Sex	1.0%	.4%	.9%
	Am Indian-Alaskan	Count	12	5	17
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	32	6	38
		% within Sex	.7%	.4%	.6%
	Total	Count	4560	1419	5979
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2934	0	2934
		% within Sex	64.3%	.0%	49.1%
	IDU	Count	257	246	503
		% within Sex	5.6%	17.3%	8.4%
	M-M & IDU	Count	260	0	260
		% within Sex	5.7%	.0%	4.3%
	Hemophiliac	Count	5	0	5
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	137	443	580
		% within Sex	3.0%	31.2%	9.7%
	Transfusion	Count	9	9	18
		% within Sex	.2%	.6%	.3%
	Not Classified	Count	908	676	1584
		% within Sex	19.9%	47.6%	26.5%
	Ped Hemophiliac	Count	7	0	7
		% within Sex	.2%	.0%	.1%
	Ped Parent at Risk	Count	36	38	74
		% within Sex	.8%	2.7%	1.2%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	7	6	13
		% within Sex	.2%	.4%	.2%
	Total	Count	4560	1419	5979
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	23	2647	3	2673
		% within Adult-Ped	24.2%	45.0%	37.5%	44.7%
	African American	Count	55	2281	4	2340
		% within Adult-Ped	57.9%	38.8%	50.0%	39.1%
	Hispanic	Count	16	842	1	859
		% within Adult-Ped	16.8%	14.3%	12.5%	14.4%
	Asian-Pacific Islander	Count	1	51	0	52
		% within Adult-Ped	1.1%	.9%	.0%	.9%
	Am Indian-Alaskan	Count	0	17	0	17
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	38	0	38
		% within Adult-Ped	.0%	.6%	.0%	.6%
	Total	Count	95	5876	8	5979
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	13-19	Count	5	2	7
		% within Sex	.6%	.8%	.6%
	20-24	Count	28	12	40
		% within Sex	3.3%	4.9%	3.6%
	25-29	Count	75	35	110
		% within Sex	8.8%	14.3%	10.0%
	30-34	Count	132	36	168
		% within Sex	15.5%	14.7%	15.3%
	35-39	Count	227	77	304
		% within Sex	26.6%	31.4%	27.7%
	40-44	Count	178	33	211
		% within Sex	20.9%	13.5%	19.2%
	45-49	Count	99	21	120
		% within Sex	11.6%	8.6%	10.9%
	50-54	Count	57	14	71
		% within Sex	6.7%	5.7%	6.5%
	55-59	Count	29	8	37
		% within Sex	3.4%	3.3%	3.4%
	60-64	Count	14	5	19
		% within Sex	1.6%	2.0%	1.7%
	65-69	Count	2	1	3
		% within Sex	.2%	.4%	.3%
70+	Count	4	1	5	
	% within Sex	.5%	.4%	.5%	
Unknown	Count	1	0	1	
	% within Sex	.1%	.0%	.1%	
Total		Count	852	245	1097
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	374	55	429
		% within Sex	43.9%	22.4%	39.1%
	African American	Count	288	150	438
		% within Sex	33.8%	61.2%	39.9%
	Hispanic	Count	173	34	207
		% within Sex	20.3%	13.9%	18.9%
	Asian-Pacific Islander	Count	11	2	13
		% within Sex	1.3%	.8%	1.2%
	Am Indian-Alaskan	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	Not Specified	Count	5	3	8
		% within Sex	.6%	1.2%	.7%
	Total	Count	852	245	1097
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	503	0	503
		% within Sex	59.0%	.0%	45.9%
	IDU	Count	54	33	87
		% within Sex	6.3%	13.5%	7.9%
	M-M & IDU	Count	39	0	39
		% within Sex	4.6%	.0%	3.6%
	Hemophiliac	Count	2	1	3
		% within Sex	.2%	.4%	.3%
	Heterosexual Contact	Count	40	67	107
		% within Sex	4.7%	27.3%	9.8%
	Transfusion	Count	4	6	10
		% within Sex	.5%	2.4%	.9%
	Not Classified	Count	209	138	347
		% within Sex	24.5%	56.3%	31.6%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Total	Count	852	245	1097
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	427	1	429
		% within Adult-Ped	100.0%	39.0%	100.0%	39.1%
	African American	Count	0	438	0	438
		% within Adult-Ped	.0%	40.0%	.0%	39.9%
	Hispanic	Count	0	207	0	207
		% within Adult-Ped	.0%	18.9%	.0%	18.9%
	Asian-Pacific Islander	Count	0	13	0	13
		% within Adult-Ped	.0%	1.2%	.0%	1.2%
	Am Indian-Alaskan	Count	0	2	0	2
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	8	0	8
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Total	Count	1	1095	1	1097
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	0	1	1
		% within Sex	.0%	.6%	.1%
	13-19	Count	3	2	5
		% within Sex	.4%	1.1%	.6%
	20-24	Count	23	9	32
		% within Sex	3.3%	5.1%	3.7%
	25-29	Count	62	25	87
		% within Sex	8.9%	14.3%	10.0%
	30-34	Count	143	48	191
		% within Sex	20.5%	27.4%	21.9%
	35-39	Count	177	36	213
		% within Sex	25.4%	20.6%	24.4%
	40-44	Count	131	21	152
		% within Sex	18.8%	12.0%	17.4%
	45-49	Count	74	15	89
		% within Sex	10.6%	8.6%	10.2%
	50-54	Count	43	12	55
		% within Sex	6.2%	6.9%	6.3%
	55-59	Count	24	4	28
		% within Sex	3.4%	2.3%	3.2%
	60-64	Count	8	1	9
		% within Sex	1.1%	.6%	1.0%
	65-69	Count	5	1	6
		% within Sex	.7%	.6%	.7%
	70+	Count	3	0	3
		% within Sex	.4%	.0%	.3%
	Unknown	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	697	175	872
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	313	38	351
		% within Sex	44.9%	21.7%	40.3%
	African American	Count	241	112	353
		% within Sex	34.6%	64.0%	40.5%
	Hispanic	Count	139	23	162
		% within Sex	19.9%	13.1%	18.6%
	Asian-Pacific Islander	Count	4	2	6
		% within Sex	.6%	1.1%	.7%
Total	Count	697	175	872	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	405	0	405
		% within Sex	58.1%	.0%	46.4%
	IDU	Count	77	36	113
		% within Sex	11.0%	20.6%	13.0%
	M-M & IDU	Count	33	0	33
		% within Sex	4.7%	.0%	3.8%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	20	63	83
		% within Sex	2.9%	36.0%	9.5%
	Transfusion	Count	2	4	6
		% within Sex	.3%	2.3%	.7%
	Not Classified	Count	159	70	229
		% within Sex	22.8%	40.0%	26.3%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	.6%	.1%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.6%	.1%
Total	Count	697	175	872	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 3

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	349	1	351
		% within Adult-Ped	100.0%	40.1%	100.0%	40.3%
	African American	Count	0	353	0	353
		% within Adult-Ped	.0%	40.6%	.0%	40.5%
	Hispanic	Count	0	162	0	162
		% within Adult-Ped	.0%	18.6%	.0%	18.6%
	Asian-Pacific Islander	Count	0	6	0	6
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Total	Count	1	870	1	872
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	13	10	23
		% within Sex	.1%	.5%	.1%
	1 (12-23 mo)	Count	10	3	13
		% within Sex	.1%	.1%	.1%
	2-4	Count	6	8	14
		% within Sex	.0%	.4%	.1%
	5-12	Count	11	6	17
		% within Sex	.1%	.3%	.1%
	13-19	Count	55	29	84
		% within Sex	.3%	1.4%	.4%
	20-24	Count	619	164	783
		% within Sex	3.7%	7.8%	4.2%
	25-29	Count	2640	353	2993
		% within Sex	15.8%	16.8%	15.9%
	30-34	Count	4250	427	4677
		% within Sex	25.5%	20.4%	24.9%
	35-39	Count	3939	445	4384
		% within Sex	23.6%	21.2%	23.3%
	40-44	Count	2456	289	2745
		% within Sex	14.7%	13.8%	14.6%
	45-49	Count	1342	161	1503
		% within Sex	8.0%	7.7%	8.0%
	50-54	Count	681	88	769
		% within Sex	4.1%	4.2%	4.1%
	55-59	Count	365	47	412
		% within Sex	2.2%	2.2%	2.2%
	60-64	Count	171	32	203
		% within Sex	1.0%	1.5%	1.1%
	65-69	Count	81	15	96
		% within Sex	.5%	.7%	.5%
	70+	Count	44	19	63
		% within Sex	.3%	.9%	.3%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	16685	2096	18781
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	10603	644	11247
		% within Sex	63.5%	30.7%	59.9%
	African American	Count	4001	1204	5205
		% within Sex	24.0%	57.4%	27.7%
	Hispanic	Count	1949	220	2169
		% within Sex	11.7%	10.5%	11.5%
	Asian-Pacific Islander	Count	82	17	99
		% within Sex	.5%	.8%	.5%
	Am Indian-Alaskan	Count	40	6	46
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	10	5	15
		% within Sex	.1%	.2%	.1%
	Total	Count	16685	2096	18781
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	12146	0	12146
		% within Sex	72.8%	.0%	64.7%
	IDU	Count	1385	689	2074
		% within Sex	8.3%	32.9%	11.0%
	M-M & IDU	Count	1479	0	1479
		% within Sex	8.9%	.0%	7.9%
	Hemophiliac	Count	63	6	69
		% within Sex	.4%	.3%	.4%
	Heterosexual Contact	Count	379	697	1076
		% within Sex	2.3%	33.3%	5.7%
	Transfusion	Count	125	102	227
		% within Sex	.7%	4.9%	1.2%
	Not Classified	Count	1057	573	1630
		% within Sex	6.3%	27.3%	8.7%
	Ped Hemophiliac	Count	13	0	13
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	31	23	54
		% within Sex	.2%	1.1%	.3%
	Ped Transfusion	Count	7	4	11
		% within Sex	.0%	.2%	.1%
	Ped Other-Undet	Count	0	2	2
		% within Sex	.0%	.1%	.0%
	Total	Count	16685	2096	18781
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	24	11221	2	11247
		% within Adult-Ped	35.8%	60.0%	100.0%	59.9%
	African American	Count	35	5170	0	5205
		% within Adult-Ped	52.2%	27.6%	.0%	27.7%
	Hispanic	Count	7	2162	0	2169
		% within Adult-Ped	10.4%	11.6%	.0%	11.5%
	Asian-Pacific Islander	Count	1	98	0	99
		% within Adult-Ped	1.5%	.5%	.0%	.5%
	Am Indian-Alaskan	Count	0	46	0	46
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	15	0	15
		% within Adult-Ped	.0%	.1%	.0%	.1%
	Total	Count	67	18712	2	18781
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	5	10
		% within Sex	.1%	.4%	.1%
	1 (12-23 mo)	Count	3	3	6
		% within Sex	.0%	.2%	.1%
	2-4	Count	2	3	5
		% within Sex	.0%	.2%	.1%
	5-12	Count	5	4	9
		% within Sex	.1%	.3%	.1%
	13-19	Count	38	23	61
		% within Sex	.5%	1.6%	.7%
	20-24	Count	282	110	392
		% within Sex	3.7%	7.8%	4.4%
	25-29	Count	1013	245	1258
		% within Sex	13.3%	17.3%	14.0%
	30-34	Count	1898	294	2192
		% within Sex	25.0%	20.8%	24.3%
	35-39	Count	1895	315	2210
		% within Sex	25.0%	22.3%	24.5%
	40-44	Count	1218	186	1404
		% within Sex	16.0%	13.2%	15.6%
	45-49	Count	636	111	747
		% within Sex	8.4%	7.9%	8.3%
	50-54	Count	317	60	377
		% within Sex	4.2%	4.2%	4.2%
	55-59	Count	163	27	190
		% within Sex	2.1%	1.9%	2.1%
	60-64	Count	79	15	94
		% within Sex	1.0%	1.1%	1.0%
	65-69	Count	26	6	32
		% within Sex	.3%	.4%	.4%
	70+	Count	9	6	15
		% within Sex	.1%	.4%	.2%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	7591	1413	9004
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	2-4	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	5-12	Count	6	6	12
		% within Sex	.1%	.4%	.1%
	13-19	Count	9	10	19
		% within Sex	.1%	.7%	.2%
	20-24	Count	57	25	82
		% within Sex	.8%	1.8%	.9%
	25-29	Count	232	125	357
		% within Sex	3.1%	8.8%	4.0%
	30-34	Count	705	220	925
		% within Sex	9.3%	15.6%	10.3%
	35-39	Count	1581	313	1894
		% within Sex	20.8%	22.2%	21.0%
	40-44	Count	2071	296	2367
		% within Sex	27.3%	20.9%	26.3%
	45-49	Count	1405	181	1586
		% within Sex	18.5%	12.8%	17.6%
	50-54	Count	788	124	912
		% within Sex	10.4%	8.8%	10.1%
55-59	Count	402	64	466	
	% within Sex	5.3%	4.5%	5.2%	
60-64	Count	197	27	224	
	% within Sex	2.6%	1.9%	2.5%	
65-69	Count	88	9	97	
	% within Sex	1.2%	.6%	1.1%	
70+	Count	48	13	61	
	% within Sex	.6%	.9%	.7%	
Unknown	Count	1	0	1	
	% within Sex	.0%	.0%	.0%	
Total		Count	7591	1413	9004
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	4221	383	4604
		% within Sex	55.6%	27.1%	51.1%
	African American	Count	2152	845	2997
		% within Sex	28.3%	59.8%	33.3%
	Hispanic	Count	1140	161	1301
		% within Sex	15.0%	11.4%	14.4%
	Asian-Pacific Islander	Count	48	14	62
		% within Sex	.6%	1.0%	.7%
	Am Indian-Alaskan	Count	23	5	28
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	7	5	12
		% within Sex	.1%	.4%	.1%
	Total	Count	7591	1413	9004
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	5248	0	5248
		% within Sex	69.1%	.0%	58.3%
	IDU	Count	666	396	1062
		% within Sex	8.8%	28.0%	11.8%
	M-M & IDU	Count	601	0	601
		% within Sex	7.9%	.0%	6.7%
	Hemophiliac	Count	21	3	24
		% within Sex	.3%	.2%	.3%
	Heterosexual Contact	Count	237	475	712
		% within Sex	3.1%	33.6%	7.9%
	Transfusion	Count	30	39	69
		% within Sex	.4%	2.8%	.8%
	Not Classified	Count	766	484	1250
		% within Sex	10.1%	34.3%	13.9%
	Ped Hemophiliac	Count	6	0	6
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	13	12	25
		% within Sex	.2%	.8%	.3%
	Ped Transfusion	Count	3	2	5
		% within Sex	.0%	.1%	.1%
	Ped Other-Undet	Count	0	2	2
		% within Sex	.0%	.1%	.0%
	Total	Count	7591	1413	9004
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	12	4590	2	4604
		% within Adult-Ped	40.0%	51.2%	100.0%	51.1%
	African American	Count	17	2980	0	2997
		% within Adult-Ped	56.7%	33.2%	.0%	33.3%
	Hispanic	Count	1	1300	0	1301
		% within Adult-Ped	3.3%	14.5%	.0%	14.4%
	Asian-Pacific Islander	Count	0	62	0	62
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	28	0	28
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	12	0	12
		% within Adult-Ped	.0%	.1%	.0%	.1%
	Total	Count	30	8972	2	9004
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**PHR = PHR 3**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	32	27	59
		% within Sex	.3%	1.0%	.4%
	1 (12-23 mo)	Count	4	10	14
		% within Sex	.0%	.4%	.1%
	2-4	Count	9	9	18
		% within Sex	.1%	.3%	.1%
	5-12	Count	20	14	34
		% within Sex	.2%	.5%	.2%
	13-19	Count	121	127	248
		% within Sex	1.0%	4.5%	1.7%
	20-24	Count	700	315	1015
		% within Sex	5.8%	11.1%	6.8%
	25-29	Count	1698	503	2201
		% within Sex	14.0%	17.8%	14.7%
	30-34	Count	2791	535	3326
		% within Sex	23.0%	18.9%	22.2%
	35-39	Count	2909	546	3455
		% within Sex	23.9%	19.3%	23.1%
	40-44	Count	1920	345	2265
		% within Sex	15.8%	12.2%	15.1%
	45-49	Count	1008	191	1199
		% within Sex	8.3%	6.7%	8.0%
	50-54	Count	496	117	613
		% within Sex	4.1%	4.1%	4.1%
	55-59	Count	259	48	307
		% within Sex	2.1%	1.7%	2.0%
	60-64	Count	124	25	149
		% within Sex	1.0%	.9%	1.0%
	65-69	Count	38	10	48
		% within Sex	.3%	.4%	.3%
	70+	Count	14	8	22
		% within Sex	.1%	.3%	.1%
	Unknown	Count	8	2	10
		% within Sex	.1%	.1%	.1%
Total		Count	12151	2832	14983
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	1	2
		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	3	0	3
		% within Sex	.0%	.0%	.0%
	2-4	Count	15	11	26
		% within Sex	.1%	.4%	.2%
	5-12	Count	26	28	54
		% within Sex	.2%	1.0%	.4%
	13-19	Count	40	51	91
		% within Sex	.3%	1.8%	.6%
	20-24	Count	270	176	446
		% within Sex	2.2%	6.2%	3.0%
	25-29	Count	740	354	1094
		% within Sex	6.1%	12.5%	7.3%
	30-34	Count	1480	478	1958
		% within Sex	12.2%	16.9%	13.1%
	35-39	Count	2581	545	3126
		% within Sex	21.2%	19.2%	20.9%
	40-44	Count	2997	515	3512
		% within Sex	24.7%	18.2%	23.4%
	45-49	Count	1951	302	2253
		% within Sex	16.1%	10.7%	15.0%
	50-54	Count	1071	194	1265
		% within Sex	8.8%	6.9%	8.4%
	55-59	Count	532	101	633
		% within Sex	4.4%	3.6%	4.2%
	60-64	Count	266	43	309
		% within Sex	2.2%	1.5%	2.1%
	65-69	Count	115	15	130
		% within Sex	.9%	.5%	.9%
	70+	Count	61	17	78
		% within Sex	.5%	.6%	.5%
	Unknown	Count	2	1	3
		% within Sex	.0%	.0%	.0%
Total		Count	12151	2832	14983
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6538	739	7277
		% within Sex	53.8%	26.1%	48.6%
	African American	Count	3624	1713	5337
		% within Sex	29.8%	60.5%	35.6%
	Hispanic	Count	1821	339	2160
		% within Sex	15.0%	12.0%	14.4%
	Asian-Pacific Islander	Count	94	20	114
		% within Sex	.8%	.7%	.8%
	Am Indian-Alaskan	Count	35	10	45
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	39	11	50
		% within Sex	.3%	.4%	.3%
	Total	Count	12151	2832	14983
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	8182	0	8182
		% within Sex	67.3%	.0%	54.6%
	IDU	Count	923	642	1565
		% within Sex	7.6%	22.7%	10.4%
	M-M & IDU	Count	861	0	861
		% within Sex	7.1%	.0%	5.7%
	Hemophiliac	Count	26	3	29
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	374	918	1292
		% within Sex	3.1%	32.4%	8.6%
	Transfusion	Count	39	48	87
		% within Sex	.3%	1.7%	.6%
	Not Classified	Count	1674	1160	2834
		% within Sex	13.8%	41.0%	18.9%
	Ped Hemophiliac	Count	13	0	13
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	49	50	99
		% within Sex	.4%	1.8%	.7%
	Ped Transfusion	Count	3	3	6
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	7	8	15
		% within Sex	.1%	.3%	.1%
	Total	Count	12151	2832	14983
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	35	7237	5	7277
		% within Adult-Ped	28.0%	48.7%	50.0%	48.6%
	African American	Count	72	5261	4	5337
		% within Adult-Ped	57.6%	35.4%	40.0%	35.6%
	Hispanic	Count	17	2142	1	2160
		% within Adult-Ped	13.6%	14.4%	10.0%	14.4%
	Asian-Pacific Islander	Count	1	113	0	114
		% within Adult-Ped	.8%	.8%	.0%	.8%
	Am Indian-Alaskan	Count	0	45	0	45
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	50	0	50
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Total	Count	125	14848	10	14983
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3